

Angling Indiana - 2009 FISH CONSUMPTION ADVISORY

Monroe County- advice for sensitive populations*

Waterbody	Fish Species	Fish Length (inches)	Maximum Amount for Adults to Eat** (Meals)
All Indiana Rivers and Streams (unless specified)	Carp	ALL	0
Beanblossom Creek	Channel Catfish	13+	0
Clear Creek	ALL	ALL	0
Griffy Lake	Bluegill	Up to 6	8 ounces per week (1 meal/week)
	Largemouth Bass	11+	0
Lake Lemon	Black Crappie	Up to 7	8 ounces per week (1 meal/week)
	Bluegill	Up to 6	8 ounces per week (1 meal/week)
	Flathead Catfish	20+	0
	Redear Sunfish	Up to 9	8 ounces per week (1 meal/week)
	White Crappie	Up to 9	8 ounces per week (1 meal/week)
Lake Wapehani	Bluegill	Up to 6	8 ounces per week (1 meal/week)
Monroe Reservoir	Bluegill	Up to 7	8 ounces per week (1 meal/week)
	Carp	ALL	2 ounces per week (1 meal/month)
	Walleye	21+	0
Richland Creek	ALL	ALL	0
	Longear Sunfish	Up to 5	2 ounces per week (1 meal/month)
	Rock Bass	Up to 6	2 ounces per week (1 meal/month)
Salt Creek (tailwaters of Monroe Reservoir Dam to Clear Creek)	Freshwater Drum	ALL	0
	Striped Bass	12+	0
	Walleye	15+	0
Stouts Creek	ALL	ALL	0

*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

**The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.