

Angling Indiana – 2009 FISH CONSUMPTION ADVISORY

Newton County- advice for sensitive populations*

Waterbody	Fish Species	Fish Length (inches)	Maximum Amount for Adults to Eat ** (Meals)
All Indiana Rivers and Streams (unless specified)	Carp	ALL	0
	Iroquois River		
	Carp	Up to 19 28+	8 ounces per week (1 meal/week) 0
	Channel Catfish	Up to 18	8 ounces per week (1 meal/week)
	Golden Redhorse	Up to 15	8 ounces per week (1 meal/week)
	Rock Bass	Up to 6	8 ounces per week (1 meal/week)
	Shorthead Redhorse	Up to 12	8 ounces per week (1 meal/week)
Kankakee River	Bigmouth Buffalo	22+	0
	Black Crappie	Up to 10	8 ounces per week (1 meal/week)
	Bluegill	Up to 6	8 ounces per week (1 meal/week)
	Quillback	15+	0
	Rock Bass	Up to 8	8 ounces per week (1 meal/week)
	Shorthead Redhorse	Up to 13	8 ounces per week (1 meal/week)
	Silver Redhorse	20+	0
	Smallmouth Buffalo	22+	0
	White Crappie	Up to 9	8 ounces per week (1 meal/week)

*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

**The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.