

Angling Indiana - 2009 FISH CONSUMPTION ADVISORY

Porter County- advice for sensitive populations*

Waterbody	Fish Species	Fish Length (inches)	Maximum Amount for Adults to Eat** (Meals)
All Indiana Rivers and Streams (unless specified)	Carp	ALL	0
Flint Lake	Bluegill	Up to 7	8 ounces per week (1 meal/week)
	Warmouth	Up to 7	8 ounces per week (1 meal/week)
Lake Michigan	Black Crappie	7+	0
	Bloater	ALL	0
	Bluegill	8+	0
	Brook Trout	ALL	0
	Brown Trout	ALL	0
	Carp	ALL	0
	Channel Catfish	ALL	0
	Chinook Salmon	ALL	0
	Coho Salmon	ALL	0
	Freshwater Drum	ALL	0
	Lake Trout	ALL	0
	Lake Whitefish	ALL	0
	Largemouth Bass	ALL	0
	Longnose Sucker	20+	0
	Northern Pike	ALL	0
	Pink Salmon	ALL	0
	Quillback	20+	0
	Rainbow Trout	22+	0
	Rock Bass	9+	0
	Silver Redhorse	25+	0
Smallmouth Bass	16+	0	
Walleye	17+	0	
White Sucker	15+	0	
Little Calumet River	Black Buffalo	ALL	0
	Bluegill	Up to 7	8 ounces per week (1 meal/week)
	Carp	ALL	0
	Flathead Catfish	ALL	0
Loomis Lake	Bluegill	Up to 8	8 ounces per week (1 meal/week)

*Sensitive populations include: pregnant or nursing women, women that will become pregnant, and children under 6 years of age. These consumers should use caution when eating some types of sportfish.

**The maximum amount for adults to eat is determined by fishing location, species and fish length. For instance, if you eat the maximum amount of one species during a week, you should not eat any other fish which has a consumption limitation until the following week. Example - if you eat the limit (4 ounces) of a 20 inch long Carp from the Easy Catch River, then you should not eat any other sportfish from the list until the following week.